

Crushed stone

Various calibers

1. MAIN USE

- 1.1. BOMIX® Crushed stone is obtained by crushing limestone and is available in four sizes. It can be used with cement-sand to make concrete, or as an underlayment for drainage and as a finishing course for paving stones.
- 1.2. **ROCK DUST**
 - 1.2.1. Very fine stone with excellent compaction quality used as a finishing undercoat for above-ground pools, concrete slabs, blocks for terraces or paving stones. Also used to fill the space between slabs or flat stones in landscaping or as a covering in footpaths and cycle paths.
- 1.3. **CRUSHED STONE ¼, ½ AND 0-3/4**
 - 1.3.1. Several sizes of stone complying with the CSA-A23.2 standard are available for the manufacture of concrete.
- 1.4. **CRUSHED STONE ½ AND ¾ NET**
 - 1.4.1. This type of stone is used for the flow of water (drains) and is available in various sizes depending on the work to be done.

2. PACKAGING

- 2.1. This product is available in a 30 kg (66 lb) bag.

3. YIELD

- 3.1. A 30 kg bag covers approximately 0.019 m³ (0.67 ft³)

4. TECHNICAL SERVICES

- 4.1. Contact BOMIX® for further information on application methods or conditions as well as to obtain the most recent version of the technical documents.

Tel: 1-800-561-2664, (514) 328-1253

Fax: (514) 328-7694

Les Produits Daubois Inc.

6155, boul. des Grandes-Prairies

Saint-Leonard, Qc H1P 1A5

Canada

<http://www.bomix.ca>

5. WARRANTY

- 5.1. You can obtain the terms of the applicable LIMITED WARRANTY at <https://www.bomix.ca/en/product-warranty.php> Or send a written request to Les Produits Daubois Inc., Five Concourse Parkway, Atlanta, GA 30328, USA . @Quikrete Canada Holdings, Limited. Manufactured by or under the authority of Les Produits Daubois Inc. ©2023 Quikrete International, Inc.

