



A3: Cement, calcium carbonate, calcium aluminate and silica crystalline based product

Section 1. Identification		
Product identifier	VERSAFIX	
Other means of identification	50.97	
Recommended use and restrictions on use	Quick repair patching mortar	
Initial supplier identifier	Les Produits Daubois Inc. 6155 boul. des Grandes-Prairies, St-Léonard (Québec) H1P 1A5	
	Tel. 514-328-1253	
Emergency telephone number/restriction	Canada – CANUTEC 613-996-6666	
on use		
Section 2. Hazard identification		

Classification of hazardous product (name of the category or subcategory of the hazard class)

Skin corrosion (Category 1C)

Eye damage (Category 1)

Carcinogenicity (Category 1)

Specific target organ toxicity – repeated exposure (Category 1), Organs

Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)





DANGER

When this product is humid or mixed with water – H314 Causes severe skin burns and eye damage. H350 May cause cancer. H372 Causes damage to organs (lungs) through prolonged or repeated exposure (inhalation). P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dusts or mists. P264 Wash hands/nails/face thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations. P308+P313 IF exposed or concerned: Get medical attention. P314 Get medical attention if you feel unwell. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P363 Wash contaminated clothing before reuse. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P310 Immediately call a doctor.

Other hazards		None			
known					
Section 3. Composition/information on ingredients					
Chemical name (common name/synonyms)			CAS number or other	Concentration (%)	
Portland Cement			65997-15-1	1-10	
Calcium carbonate			1317-65-3	10-30	
Calcium aluminate			65997-16-2	10-30	
Silica, Crystalline (Quartz)			14808-60-7	0.1-10	
Section 4. First-aid measures					
Inhalation	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a doctor.				
Ingestion	IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victim is				
rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two					
glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration.					
Skin contact	n contact IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. (15-20 minutes).		15-20 minutes).		
Eye contact	Eye contact IF IN EYES: Rinse cautiously with water for several minutes. (15-20 minutes). Remove contact lenses, if present and easy		ct lenses, if present and easy to		
do. Continue rinsing. Immediately call a doctor.					
Most important symptoms and effects (acute or delayed)		Eye and skin damage.			
Indication of immediate medical attention/special		In all cases, call a doctor. Do not forget this document.			
treatment					
Section 5. Fire-fighting measures					
Specific hazards of the hazardous product (hazardous combustion products)					
Carbon oxides and other irritant/toxic gases and fumes.		·			





Suitable and unsuitable extinguishing media

In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products.

Special protective equipment and precautions for fire-fighters

During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).

Methods and materials for containment and cleaning up

Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required.

Section 7. Handling and storage

Precautions for safe handling

Wear gloves/protective clothing/eye protection/face protection.

Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8.

Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

Section 8. Exposure controls/Personal protection

Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits: CAS 14808-60-7 ACGIH – TLV-TWA 0.025 mg/m^3 & PEL-TWA 0.1 mg/m^3 ; CAS 1317-65-3 PEL-TWA 5 mg/m^3 (respirable fraction) & 15 mg/m^3 (total dust)

Appropriate engineering controls

Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Individual protection measures/personal protective equipment

Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.

Section 9. Physical and chemical properties				
Appearance, physical state/colour	White to gray powder	Vapour pressure	Not available	
Odour	Odourless	Vapour density	Not available	
Odour threshold	Not available	Relative density	Not available	
pH	> 11	Solubility	Slightly	
Melting/freezing point	Not available	Partition coefficient - n-octanol/water	Not available	
Initial boiling point/range	Not available	Auto-ignition temperature	Not available	
Flash point	Not available	Decomposition temperature	Not available	
Evaporation rate	Not available	Viscosity	Not available	
Flammability (solids and gases)	Not available	VOC	Not available	
Upper and lower	Not available	Other	None known	
flammability/explosive limits				





Section 10. Stability and reactivity	
Reactivity	
Does not react under the recommended storage and handling conditions prescribed.	
Chemical stability	
Stable under the recommended storage and handling conditions prescribed.	
Possibility of hazardous reactions	
None known.	
Conditions to avoid (static discharge, shock or vibration)	
None known.	
Incompatible materials	
Oxidizing materials; strong acids; some metals; etc.	
Hazardous decomposition products	
None known	

Section 11. To	xicological information	
Information on the likely routes of exposure (inhalation, ingesti	ion, skin and eye contact)	
When this product is humid or mixed with water – Causes severe skin burns and eye damage. May cause cancer. Causes damage to organs		
(lungs) through prolonged or repeated exposure (inhalation).		
Symptoms related to the physical, chemical and toxicological ch		
Skin irritation, redness, stinging, pain; Eye irritation, redness, tearing		
Delayed and immediate effects (chronic effects from short-term		
Skin Sensitization – No data available; Respiratory Sensitization – No data available; Germ Cell Mutagenicity – No data available; Carcinogenicity – CAS 14808-60-7 is an ingredient listed by IARC, ACGIH, NTP or OSHA Reproductive Toxicity – No data available;		
	vailable; Specific Target Organ Toxicity — Repeated Exposure – Possible;	
Aspiration Hazard – No data available; Health Hazards Not Otherw		
Numerical measures of toxicity (ATE; LD ₅₀ & LC ₅₀)	vise Classified 130 data available.	
LD ₅₀ Oral - Rat – None; LC ₅₀ Inhalation - Rat - None 4 h; LD ₅₀ De	rmal - Rabbit - None	
ATE not available in this document.	Titlat - Rabolt - Tvolic	
	cological information	
Ecotoxicity (aquatic and terrestrial information)	cological information	
No data available for the product.		
Persistence and degradability	No data available	
Bioaccumulative potential	No bioaccumulation is to be expected.	
Mobility in soil	No data available	
Other adverse effects	No data available for the product.	
	isposal considerations	
Information on safe handling for disposal/methods of disposal/		
Dispose of contents/container into safe container in accordance wit		
	Transport information	
UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG/49 CFR Regulations	
NOT REGULATED	(DC) (C4L) DADC (
UN number; Proper shipping name; Class(es); Packing group (NOT REGULATED	PG) of the INIDG (maritime)	
	(DC) ed TATEA ()	
UN number; Proper shipping name; Class(es); Packing group (NOT REGULATED	PG) of the IATA (air)	
	NT.	
Special precautions (transport/conveyance)	None	
Environmental hazards (IMDG or other)	None Possible	
Bulk transport (usually more than 450 L in capacity)		
Section 15. Regulatory information		
Safety/health Canadian regulations specifics	Refer to Section 2 for the appropriate classification. This product has been classified in accordance with the hazard criteria of the Hazardous Products	
	Regulations (HPR).	
Environmental Canadian regulations specifies	Regulations (HPK). Refer to Section 3 for ingredient(s) of the DSL	
Environmental Canadian regulations specifics Safety/health/environmental outside regulations specifics	Ketel to Section 3 for ingredient(s) of the DSL	
United States OSHA information: This product is regulated according to OSHA (29 CFR).		
United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14.		
United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14.		





United States TCSA information: Refer to the ingredients listed in Section 3.

National Fire Protection Association (NFPA):

HEALTH: 3 FLAMMABILITY: 0 INSTABILITY: 0 SPECIAL HAZARDS: Refer to Section 2 & 3.

HAZARD SCALE: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

California Proposition 65: This product contains Silica, Crystalline (Quartz) that is known to the State of California to cause cancer or other reproductive harm.

Section 16. Other information		
Date of the latest revision of the safety data sheet December 08, 2017 version 1 (NSS ENTREPRISE INC.)		
References	Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.	
Abbreviations		
ACGIH	American Conference of Governmental Industrial Hygienists	
ATE	Acute toxicity estimate	
CAS	Chemical Abstract Service	
CFR	Code of Federal Regulations	
DSL	Domestic Substance List	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods Code	
LC	Lethal concentration	
LD	Lethal Dosage	
NIOSH	National Institute for Occupational Safety and Health	
NTP	National Toxicology Program (U.S.A.)	
OSHA	Occupational Safety and Health Administration (U.S.A.)	
PEL	Permissible Exposure Limit	
STEL	Short-term Exposure Limit	
TDG	Transport of dangerous goods in Canada	
TLV	Threshold Limit Value	
TSCA	Toxic Substances Control Act	
TWA	Time Weighted Average	
WHMIS	Workplace Hazardous Materials Information System	

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.